

Limitorque[®] Master Station IV



Introducing the Limitorque Master Station IV

The next-generation master station is designed and manufactured by Flowserve Limitorque specifically for use with Limitorque's line of (Modbus) electric actuators. For power, petrochemical, oil and gas, water and wastewater applications, the Master Station IV acts as a single-source controller for up to 250 actuators in a single segment.

The Master Station IV is a plug-and-play solution that provides complete user control with real-time diagnostics for Limitorque MX, QX and L120 field units through a simple touch-panel operator interface. Whether utilized in a new plant or modernization project, the Master Station IV can help minimize integration efforts and save users time and money during startup and commissioning while helping to maintain asset integrity during normal operations.

Enclosure options

- Desktop or DIN-rail mount
- 19 in rack
- NEMA 4/4X wall-mountable
- Stand-alone cabinet

Key features

- Supports priority polling
- Also supports TCP/IP comms with actuator network equipped with TCP/IP capability

LIMITORQUE ACTUATION SYSTEMS

- Multilingual functions include English, Spanish, German, French and Italian
- Configuration of slave register polling schedule
- Industry standard Modbus RTU, ASCII or TCP/IP protocols
- Secure access utilizing up to three levels of user password protection
- 6.5 in IP65, industrial touch-screen monitor (optional)
- Data/event logging
- Network control of up to 250 devices
- Peripheral ports: DCS serial, serial debug, DCS TCP, USB x 2, VGA
- Modules can operate independently or be externally coupled to form redundant communications



Limitorque[®] Master Station IV



Additional options

- Host (DCS/PLC) control via the Master Station IV Modbus DCS port or Modbus TCP/IP connection
- Direct control via the Master Station IV touch-panel (when supplied)

Both options provide:

- Network status
- Actuator status
- Control of all actuators on network
- Valve emergency shutdown (ESD)
- Available in standard 24 VDC and 100–240 VAC with (optional) power supply
- No batteries required

For more information, contact your local Limitorque distributor or visit **www.flowserve.com.**

Flowserve Corporation 5215 North O'Connor Blvd. Suite 2300 Irving, Texas 75039-5421 USA Telephone: +1 937 890 5839 Flowserve Corporation has established industry leadership in the design and manufacture of its products. When properly selected, this Flowserve product is designed to perform its intended function safely during its useful life. However, the purchaser or user of Flowserve products should be aware that Flowserve products might be used in numerous applications under a wide variety of industrial service conditions. Although Flowserve can provide general guidelines, it cannot provide specific data and warnings for all possible applications. Installation, operation, and maintenance of Flowserve products. The purchaser/user should read and understand the Installation Instructions included with the product, and train its employees and contractors in the safe use of Flowserve products in connection with the specific application.

While the information and specifications contained in this literature are believed to be accurate, they are supplied for informative purposes only and should not be considered certified or as a guarantee of satisfactory results by reliance thereon. Nothing contained herein is to be construed as a warranty or guarantee, express or implied, regarding any matter with respect to this product. Because Flowserve is continually improving and upgrading its product design, the specifications, dimensions and information contained herein are subject to change without notice. Should any question arise concerning these provisions, the purchaser/user should contact Flowserve Corporation at any one of its worldwide operations or offices.

©2019 Flowserve Corporation. All rights reserved. This document contains registered and unregistered trademarks of Flowserve Corporation. Other company, product, or service names may be trademarks or service marks of their respective companies.

AIFLY000078 (EN/AQ) November 2019